MATERIAL SAFETY DATA SHEET



				Co	ated Abrasives	
IDENTITY			TRADE NAME			
COATED ABRA	ASIVES "ALUMII	NUM OXIDE"	J-86 , X-86			
SECTION I (MATERIAL IDE	NTIFICATION)					
MANUFACTURER'S NAME			EMERGENCY TELEI	PHONE NUMBER		
Fábrica Nacional de Lija, S.A de C.V.			011 525 3661403			
ADDRESS (Street, Number, City, State, ZIP Code)			TELEPHONE & FAX NUMBER FOR INFORMATION			
Av. Presidente Juárez # 225			011 525 366 1400 fax 011 525 366 1499			
San Jerónimo Tepetlacalco			REVISION DATE			
Tlalnepantla 54000			July, 2006			
Estado de México			PREPARED BY (Technical contact)			
MEXICO			Alfredo Bañuelos or José Jiménez			
SECTION II (MATERIAL DE	SCRIPTION & HAZA	ARD RATING)				
TECHNICAL DESCRIPTION	I: Aluminum Oxide	e coated on a cotton	HAZARD RATING:	1, 0, 0	NFPA CODE	
ba	cking and resin binde	er.				
CHEMICAL FAMILY				Blue: Health hazard	0: Minimum	
NA				Red: Fire hazard	1: Slight	
CHEMICAL NAME/FORMUL			1 0	Yellow: Reactivity hazard	2: Moderate	
001010010	NA			White: Special hazard	3: Serious	
SYNONYMOUS	NA		Y		4: Extreme	
	NA .					
SECTION III (HAZARDOUS	INGREDIENTS/IDE	NTITY INFORMATION)				
HAZARDOUS COMPONEN						
Chemical name	CAS No.	Common name (s)	Percent	OSHA - PEL (mg/m3)	ACGIH-TLV (mg/m3)	
Aluminum Oxide (Al2O3)	1344 - 28 - I	Alpha Alumina	13 - 60	I5.0 (total dust)	10.0 (total dus	
Cotton Backing	NONE	Cotton Cloth	18 - 78			
Phenol-Formaldehyde	NONE	phenolic	5 - 30			
resin "cured"		resin				
					<u> </u>	
REMARKS						
The above materials are not card	inogen.					
Materials are regulated by OSHA	29 CFR 1910.1200, Ha	zard Communication and/or The M	lassachusetts General Law,	Chapter III, Right to know Reg	ulations	
SECTION IV (PHYSICAL &	CHEMICAL CHARA	CTERISTICS)				
BOILING POINT	NA	SOLUBILITY IN WATER	NA	SPECIFIC GRAVITY (H2	O=I) NA	
VAPOR PRESSURE	NA	SOLUBILITY IN ALCOHOL		MELTING POINT	NA	
VAPOR DENSITY (Air = I) NA		SOLUBILITY IN OTHER SOLVENT NA		% VOLATILE BY VOLUME NA		
APPEARANCE & ODOR		Cloth coated with abrasive particles which are		EVAPORATION RATE NA		
		bonded with resin binder.				
SECTION V (FIRE & EXPLO	SION HAZARD DAT	ΓA)				
FLASH POINT (Method used)		FLAMMABLE LIMITS		LEL	UEL	
NA NA				NA	NA	
EXTINGUISHED MEDIA						
	Water, carbon dioxide,	Dry chemical, Foam				
SPECIAL FIRE FIGHTING P		n will burn or decompose.				
	Use respiratory protect	·				
	Osc respiratory protect					

UNUSUAL FIRE & EXPLOSION HAZARDS

MATERIAL SAFETY DATA SHEET



IDENTITY			TRADE NAME						
COATED ABRASIVES "ALUMINUM OXIDE"			J-86 , X-86						
SECTION VI (REACTIVITY DATA)									
STABILITY	UNSTABLE		CONDITIONS TO AVOID						
	STABLE	X		NA					
INCOMPATIBILITY (Materials to Avoid)									
In use organic fumes may be liberated.									
HAZARDOUS DECOMPOSITION OR BY PRODUCTS									
HAZARDOUS	MAY OCCUR		CONDITIONS TO AVOID						
POLYMERIZATION	WILL NOT OCCUR	×	NA						
SECTION VII (HEALTH HAZARD DATA)									
ROUTE (s) OF ENTRY		INHALATION		SKIN	INGESTION				
During use		Airborne dusts or fumes.		Airborne dusts or fumes.	Airborne dusts or fumes.				
HEALTH HAZARDS (Acute	& chronic)		fficulty skin eve nasal an	•	parborne duses or fames.				
HEALTH HAZARDS (Acute & chronic) ACUTE & CHRONIC: Breathing difficulty, skin, eye, nasal and respiratory irritation.									
CARCINOGENICITY		NTP	IARC MC	NOGRAPHS	OSHA REGULATED				
		NA		NA	NA				
SIGNS & SYMPTOMS OF E	XPOSURE	Deposits or material on skin, in eye may be present.	yes and nasal passages. Coughing and/or breathing difficulties						
may be present. MEDICAL CONDITIONS GENERALLY AGGRAVATED BY EXPOSURE Pulmonary disorders, skin or eye disorders.									
EMERGENCY & FIRST AID PROCEDURES									
Remove to dust free area. Irrigate eyes and/or skin with copious amounts of water.									
SEEK MEDICAL ATTENTION.									
SECTION VIII (PRECAUTIONS FOR SAFE HANDLING & USE)									
STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED									
Ordinary precautions for dust and particulates.									
WASTE DISPOSAL METHOD									
In compliance with Federal, State and local regulations for landfill.									
PRECAUTIONS TO BE TAKEN IN HANDLING & STORING									
Not applicable									
OTHER PRECAUTIONS									
Not applicable									
SECTION IX (CONTROL MEASURES)									
RESPIRATORY PROTECTION (Specify type) If limits are exceeded during sanding or grinding, an approved NIOSH must be used. OSHA 29 CRF 1910 - 134									
VENTILATION	LOCAL EXHAUST Must be used to control exposure to du		ust or fumes.	SPECIAL	NA				
	MECHANICAL (General	Hoods connected to exhaust duct	ts and appropiate dust col	lector.					
PROTECTIVE GLOVES		Wear gloves to prevent	EYE PROTECTION	Wear safety glasses while san	ding or grinding.				
abrasion and/or skin irritation.				OSHA 29 CFR 1910 . 133					
OTHER PROTECTIVE CLOTHING OR EQUIPMENT									
Hearing protection OSHA 29 CF									
WORK/HYGIENIC PRACTICES									
Ordinary washing and cleanliness practices.									

ABBREVIATIONS: NA = NOT APPLICABLE

"THE INFORMATION IS PROVIDED IN GOOD FAITH AND IS BASED ON DATA CONSIDERED ACCURATE, HOWEVER, FABRICA NACIONAL DE LIJA, S.A de C.V. MAKES NO WARRANTY WITH RESPECT OF THE ACCURACY OF THE INFORMATION AND DISCLAIMS RESPONSIBILITY FOR DAMAGES OF ANY KIND RESULTING FROM THE USE OF THIS DATA OR THE RESULTS TO BE OBTAINED FROM THE USE THEREOF. CUSTOMERS ARE ENCOURAGED TO MAKE THEIR OWN DETERMINATION AS TO THE SUITABILITY OF THIS PRODUCT FOR THEIR PURPOSE PRIOR TO USE".